



# HDLA8055 V2

## LINE ARRAY SYSTEM



HDLA8055 V2 is a line array loudspeaker for large scale sound reinforcement, fitted with 1x12" Neodymium LF driver, 3x3" Neodymium MF drivers and 2x1" Neodymium HF driver with line array horn, made of high quality plywood with polyurea waterproof paint. All rigging parts are made of aluminium alloy.

### FEATURES

- High quality plywood with wear resistant and waterproof polyurea paint
- Exceptional sound quality, powerful response & long throw.
- Neodymium MF and HF unit and Neodymium woofer
- High grade & durable cabinet design.
- True 100°(-6dB) horizontal mid and HF pattern control.
- High power- maximum SPL 126dB continuos, 132dB Peak.
- High-quality passive crossover network for maximum reliability.
- Extra textured anti-scratch paint finish.
- Convenient for hanging and stacking
- Easy carry handles & heavy duty protective grille.

### TECHNICAL SPECIFICATIONS

<b>FREQUENCY RESPONSE</b>	55Hz- 18kHz
<b>DRIVERS</b>	1X12" (300mm)/3.5" voice coil Neodymium LF driver 3x3" (83mm)/ 0.8" voice coil Neodymium MF driver 2x1" (25mm)/1.7" voice coil Neodymium HF driver
<b>RATED POWER</b>	1000W
<b>PEAK POWER</b>	4000W
<b>SENSITIVITY</b>	100dB 1watt/1Metre
<b>SPL</b>	126dB
<b>MAXIMUM SPL</b>	132dB
<b>IMPEDANCE</b>	8Ω
<b>DISPERSION (-6dB)</b>	100°
<b>CROSSOVER</b>	1.5kHz, 2.2kHz Passive
<b>CONNECTORS</b>	2XSpeakON NL4
<b>DIMENSIONS</b>	(W)695mmX(D)435mmX(H)347mm
<b>WEIGHT</b>	25KG

### CONFIGURATION

